

SUPER-CLEAN

Safety Data Sheet

According to Annex II to REACH - Regulation 2020/878 and to Annex II to UK REACH

SECTION 1. Identification of the substance/mixture and of the company/undertaking

1.1. Product identifierCode: **T104NF**
Product name: **SUPER-CLEAN**UFI: **NH80-10UF-2009-5S5Y****1.2. Relevant identified uses of the substance or mixture and uses advised against**Intended use: **Non foaming detergent - concentrated - high degreasing power.**

| Identified Uses | Industrial | Professional | Consumer |
|----------------------|------------|--------------|----------|
| Detergent | - | PC: 35. | - |
| Uses Advised Against | | | |

Any use other than those identified.

1.3. Details of the supplier of the safety data sheetName: **MVT S.R.L.**
Full address: **Via Boniole, 17/A**
District and Country: **35040 Boara Pisani (Padova)**
Italia
tel. **+39 0425 1901666**e-mail address of the competent person
responsible for the Safety Data Sheet: **info@mvtprofessional.eu****1.4. Emergency telephone number**For urgent inquiries refer to: **+39 0425 1901666**

SECTION 2. Hazards identification

2.1. Classification of the substance or mixture

The product is classified as hazardous pursuant to the provisions set forth in (EC) Regulation 1272/2008 (CLP) (and subsequent amendments and supplements). The product thus requires a safety datasheet that complies with the provisions of (EU) Regulation 2020/878. Any additional information concerning the risks for health and/or the environment are given in sections 11 and 12 of this sheet.

Hazard classification and indication:
Serious eye damage, category 1 **H318** Causes serious eye damage.**2.2. Label elements**

Hazard labelling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

SUPER-CLEAN

Hazard pictograms:



Signal words: Danger

Hazard statements:

H318 Causes serious eye damage.

Precautionary statements:

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P280 Wear eye protection / face protection.
P310 Immediately call a POISON CENTER.

Contains: D-GLUCOPYRANOSE, OLIGOMERIC, HEPTYL GLYCOSIDE
 TETRASODIUM ETHYLENEDIAMINE TETRAACETATE
 SODIUM HYDROXIDE

Ingredients according to Regulation (EC) No. 648/2004

Less than 5% phosphonates, non-ionic surfactants, EDTA (ethylenediaminetetraacetic acid) sodium salt

2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage \geq than 0,1%.

The product does not contain substances with endocrine disrupting properties in concentration \geq 0.1%.

SECTION 3. Composition/information on ingredients

3.2. Mixtures

Contains:

| Identification | x = Conc. % | Classification (EC) 1272/2008 (CLP) |
|--|------------------|--------------------------------------|
| TETRASODIUM (1-HYDROXYETHYLENE) BIPHOSPHONATE | | |
| CAS 3794-83-0 | $2 \leq x < 2,5$ | Acute Tox. 4 H302, Eye Irrit. 2 H319 |
| EC 223-267-7 | | LD50 Oral: 990 mg/kg |
| INDEX - | | |
| REACH Reg. * | | |
| D-GLUCOPYRANOSE, OLIGOMERIC, HEPTYL GLYCOSIDE | | |
| CAS - | $2 \leq x < 2,5$ | Eye Dam. 1 H318 |
| EC 807-654-3 | | |

SUPER-CLEAN

INDEX -

REACH Reg. 01-2120088889-28-XXXX

2-BUTOXYETHANOL

CAS 111-76-2

 $2 \leq x < 2,5$

Acute Tox. 4 H302, Acute Tox. 4 H312, Acute Tox. 4 H332, Eye Irrit. 2 H319, Skin Irrit. 2 H315

EC 203-905-0

LD50 Oral: 615 mg/kg, STA Dermal: 1100 mg/kg, STA Inhalation vapours: 11 mg/l, STA Inhalation mists/powders: 1,5 mg/l

INDEX 603-014-00-0

REACH Reg. 01-2119475108-36-XXXX

DIPROPYLENE GLYCOL MONOMETHYL ETHER

CAS 34590-94-8

 $2 \leq x < 2,5$

Substance with a community workplace exposure limit.

EC 252-104-2

INDEX -

REACH Reg. 01-2119450011-60-XXXX

TETRASODIUM ETHYLENEDIAMINE TETRAACETATE

CAS 64-02-8

 $1,5 \leq x < 2$

Met. Corr. 1 H290, Acute Tox. 4 H302, Acute Tox. 4 H332, STOT RE 2 H373, Eye Dam. 1 H318

EC 200-573-9

STA Oral: 500 mg/kg, STA Inhalation vapours: 11 mg/l, STA Inhalation mists/powders: 1,5 mg/l

INDEX 607-428-00-2

REACH Reg. 01-2119486762-27-XXXX

SODIUM HYDROXIDE

CAS 1310-73-2

 $0,2 \leq x < 0,3$

Met. Corr. 1 H290, Skin Corr. 1A H314, Eye Dam. 1 H318

EC 215-185-5

Skin Corr. 1B H314: $\geq 2\%$, Skin Irrit. 2 H315: $\geq 0,5\%$, Eye Dam. 1 H318: $\geq 2\%$, Eye Irrit. 2 H319: $\geq 0,5\%$

INDEX 011-002-00-6

REACH Reg. 01-2119457892-27-XXXX

The full wording of hazard (H) phrases is given in section 16 of the sheet.

TETRASODIUM (1-HYDROXYETHYLENE) BIPHOSPHONATE

* Exempt: ionic mixture. See Regulation (EC) n. 1907/2006, annex V, par. 3 and 4. This compound is present based on calculations and included for hazard classification purposes only. The original ingredients contained in the ionic blend have been registered where required.

SECTION 4. First aid measures**4.1. Description of first aid measures**

EYES: remove, if present, contact lenses if the situation allows you to do so easily. Wash immediately with plenty of water for at least 30/60 minutes, opening the eyelids fully. Immediately call a poison centre or seek medical advice. SKIN: remove contaminated clothing. Wash immediately and thoroughly with running water if necessary take a shower. Seek medical advice or call a poison centre. Wash contaminated clothing before using it again. INGESTION: immediately call a poison center or doctor. Induce vomiting only if indicated by the doctor. Rinse mouth with running water if the victim is conscious and collaborative. Do not give anything by mouth to an unconscious person. Do not give anything which is not expressly authorized by a doctor. INHALATION: in case of inhalation of aerosols or powder remove victim to fresh air. In the event of respiratory symptoms (coughing, wheezing, breathing difficulty, asthma) keep the victim in a comfortable position for breathing. Get medical advice or call a poison centre immediately.

4.2. Most important symptoms and effects, both acute and delayed

No specific information is known about the symptoms and effects caused by the product. See section 11 for effects due to substances.

4.3. Indication of any immediate medical attention and special treatment needed

SUPER-CLEAN

Keep the safety data sheet or, failing that, the label available for the medical personnel.

SECTION 5. Firefighting measures

5.1. Extinguishing media

SUITABLE EXTINGUISHING EQUIPMENT

The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray.

UNSUITABLE EXTINGUISHING EQUIPMENT

None in particular.

5.2. Special hazards arising from the substance or mixture

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE

Do not breathe combustion products.

5.3. Advice for firefighters

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage

7.1. Precautions for safe handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat.

SUPER-CLEAN

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container. Store the containers sealed, in a well ventilated place, away from direct sunlight. Keep containers away from any incompatible materials, see section 10 for details.

Storage class TRGS 510 (Germany):
10

7.3. Specific end use(s)

Follow the instructions on the product labeled or on the information sheet. Refer to the safe use information if enclosed with this safety data sheet.

SECTION 8. Exposure controls/personal protection

8.1. Control parameters

Regulatory References:

| | | |
|-----|----------------|---|
| BGR | България | НАРЕДБА № 13 ОТ 30 ДЕКЕМВРИ 2003 Г. ЗА ЗАЩИТА НА РАБОТЕЩИТЕ ОТ РИСКОВЕ, СВЪРЗАНИ С ЕКСПОЗИЦИЯ НА ХИМИЧНИ АГЕНТИ ПРИ РАБОТА (изм. ДВ. бр.5 от 17 Януари 2020г.) |
| DEU | Deutschland | Technischen Regeln für Gefahrstoffe (TRGS 900) - Liste der Arbeitsplatzgrenzwerte und Kurzzeitwerte. MAK- und BAT-Werte-Liste 2020, Ständige Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe, Mitteilung 56 |
| ESP | España | Límites de exposición profesional para agentes químicos en España 2021 |
| FRA | France | Valeurs limites d'exposition professionnelle aux agents chimiques en France. ED 984 - INRS |
| GRC | Ελλάδα | Π.Δ. 26/2020 (ΦΕΚ 50/Α' 6.3.2020) Εναρμόνιση της ελληνικής νομοθεσίας προς τις διατάξεις των οδηγιών 2017/2398/ΕΕ, 2019/130/ΕΕ και 2019/983/ΕΕ «για την τροποποίηση της οδηγίας 2004/37/ΕΚ «σχετικά με την προστασία των εργαζομένων από τους κινδύνους που συνδέονται με την έκθεση σε καρκινογόνους ή μεταλλαξιογόνους παράγοντες κατά την εργασία» |
| HRV | Hrvatska | Pravilnik o izmjenama i dopunama Pravilnika o zaštiti radnika od izloženosti opasnim kemikalijama na radu, graničnim vrijednostima izloženosti i biološkim graničnim vrijednostima (NN 1/2021) |
| ITA | Italia | Decreto Legislativo 9 Aprile 2008, n.81 |
| PRT | Portugal | Decreto-Lei n.º 1/2021 de 6 de janeiro, valores-limite de exposição profissional indicativos para os agentes químicos. Decreto-Lei n.º 35/2020 de 13 de julho, proteção dos trabalhadores contra os riscos ligados à exposição durante o trabalho a agentes cancerígenos ou mutagénicos |
| POL | Polska | Rozporządzenie ministra rozwoju, pracy i technologii z dnia 18 lutego 2021 r. Zmieniające rozporządzenie w sprawie najwyższych dopuszczalnych stężeń i natężeń czynników szkodliwych dla zdrowia w środowisku pracy |
| ROU | România | Hotărârea nr. 53/2021 pentru modificarea hotărârii guvernului nr. 1.218/2006, precum și pentru modificarea și completarea hotărârii guvernului nr. 1.093/2006 |
| SVN | Slovenija | Pravilnik o varovanju delavcev pred tveganji zaradi izpostavljenosti kemičnim snovem pri delu (Uradni list RS, št. 100/01, 39/05, 53/07, 102/10, 43/11 – ZVZD-1, 38/15, 78/18 in 78/19) |
| GBR | United Kingdom | EH40/2005 Workplace exposure limits (Fourth Edition 2020) |
| EU | OEL EU | Directive (EU) 2022/431; Directive (EU) 2019/1831; Directive (EU) 2019/130; Directive (EU) 2019/983; Directive (EU) 2017/2398; Directive (EU) 2017/164; Directive 2009/161/EU; Directive 2006/15/EC; Directive 2004/37/EC; Directive 2000/39/EC; Directive 98/24/EC; Directive 91/322/EEC. |
| | TLV-ACGIH | ACGIH 2021 |

DIPROPYLENE GLYCOL MONOMETHYL ETHER

Threshold Limit Value

| Type | Country | TWA/8h | | STEL/15min | | Remarks / Observations |
|----------|---------|--------|-----|------------|-----|------------------------|
| | | mg/m3 | ppm | mg/m3 | ppm | |
| TLV | BGR | 308 | 50 | | | SKIN |
| AGW | DEU | 310 | 50 | 310 | 50 | |
| MAK | DEU | 310 | 50 | 310 | 50 | |
| VLA | ESP | 308 | 50 | | | SKIN |
| VLEP | FRA | 308 | 50 | | | SKIN |
| TLV | GRC | 600 | 100 | 900 | 150 | |
| GVI/KGVI | HRV | 308 | 50 | | | |

SUPER-CLEAN

| | | | | | |
|-----------|-----|-----|-----|---------|---------|
| VLEP | ITA | 308 | 50 | | SKIN |
| VLE | PRT | 308 | 50 | | SKIN |
| NDS/NDSCh | POL | 240 | | 480 | |
| TLV | ROU | 308 | 50 | | SKIN |
| MV | SVN | 308 | 50 | | SKIN |
| WEL | GBR | 308 | 50 | | SKIN |
| OEL | EU | 308 | 50 | | SKIN |
| TLV-ACGIH | | 606 | 100 | 909 (C) | 150 (C) |

| Predicted no-effect concentration - PNEC | |
|--|------------|
| Normal value in fresh water | 19 mg/l |
| Normal value in marine water | 1,9 mg/l |
| Normal value for fresh water sediment | 70,2 mg/kg |
| Normal value for marine water sediment | 7,02 mg/kg |
| Normal value for water, intermittent release | 190 mg/l |
| Normal value of STP microorganisms | 4168 mgl |
| Normal value for the terrestrial compartment | 2,74 mg/kg |

| Health - Derived no-effect level - DNEL / DMEL | | | | | | | | |
|--|----------------------|----------------|---------------|------------------|--------------------|----------------|---------------|------------------|
| Route of exposure | Effects on consumers | | | | Effects on workers | | | |
| | Acute local | Acute systemic | Chronic local | Chronic systemic | Acute local | Acute systemic | Chronic local | Chronic systemic |
| Inhalation | | | VND | 37,2 mg/m3 | | | VND | 310 mg/m3 |
| Skin | | | VND | 15 mg/kg/d | | | VND | 65 mg/kg/d |

2-BUTOXYETHANOL
Threshold Limit Value

| Type | Country | TWA/8h | | STEL/15min | | Remarks / Observations |
|-----------|---------|--------|-----|------------|-----|------------------------|
| | | mg/m3 | ppm | mg/m3 | ppm | |
| TLV | BGR | 98 | | 246 | | SKIN |
| AGW | DEU | 49 | 10 | 196 | 40 | SKIN |
| MAK | DEU | 49 | 10 | 98 | 20 | SKIN |
| VLA | ESP | 98 | 20 | 245 | 50 | SKIN |
| VLEP | FRA | 49 | 10 | 246 | 50 | SKIN |
| TLV | GRC | 120 | 25 | | | |
| GVI/KGVI | HRV | 98 | 20 | 246 | 50 | SKIN |
| VLEP | ITA | 98 | 20 | 246 | 50 | SKIN |
| MV | SVN | 98 | 20 | | | SKIN |
| WEL | GBR | 123 | 25 | 246 | 50 | SKIN |
| OEL | EU | 98 | 20 | 246 | 50 | SKIN |
| TLV-ACGIH | | 97 | 20 | | | |

TETRASODIUM ETHYLENEDIAMINE TETRAACETATE
Threshold Limit Value

| Type | Country | TWA/8h | | STEL/15min | | Remarks / Observations |
|-----------|---------|--------|-----|------------|-----|------------------------|
| | | mg/m3 | ppm | mg/m3 | ppm | |
| TLV-ACGIH | | 10 | | | | INHAL |
| TLV-ACGIH | | 3 | | | | RESP |

SUPER-CLEAN

SODIUM HYDROXIDE

Threshold Limit Value

| Type | Country | TWA/8h | | STEL/15min | | Remarks / Observations |
|-----------|---------|-------------------|-----|-------------------|-----|------------------------|
| | | mg/m ³ | ppm | mg/m ³ | ppm | |
| TLV | BGR | 2 | | | | |
| VLA | ESP | 2 | | | | |
| VLEP | FRA | 2 | | | | |
| TLV | GRC | 2 | | 2 | | |
| GVI/KGVI | HRV | | | 2 | | |
| WEL | GBR | | | 2 | | |
| TLV-ACGIH | | | | 2 (C) | | |

Legend:

(C) = CEILING ; INHAL = Inhalable Fraction ; RESP = Respirable Fraction ; THORA = Thoracic Fraction.

VND = hazard identified but no DNEL/PNEC available ; NEA = no exposure expected ; NPI = no hazard identified ; LOW = low hazard ; MED = medium hazard ; HIGH = high hazard.

8.2. Exposure controls

The use of appropriate technical measures should always take priority over personal protection equipment. Provide a good level of general ventilation in the workplace (3 to 5 air changes per hour). The individual protection devices must bear the CE marking that certifies their compliance with the regulations in force.

Provide an emergency shower with face and eye wash station.

HAND PROTECTION

Use category III gloves (ref. standard EN 374). For definitive choice of gloves material consider: compatibility, degradation, breakthrough time and permeation. Work gloves wear time depends upon duration and type of wear. Suitable gloves (protection factor 6, permeation time > 480 minutes), material (thickness, mm): nitrile rubber (0,35 mm), butyl rubber (0,5 mm), polychloroprene (0,5 mm), polyvinylchloride (0,5 mm).

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Regulation 2016/425 and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited.

If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

SECTION 9. Physical and chemical properties

SUPER-CLEAN**9.1. Information on basic physical and chemical properties**

| Properties | Value | Information |
|--|------------------|-------------|
| Appearance | liquid | |
| Colour | yellowish | |
| Odour | not available | |
| Melting point / freezing point | not available | |
| Initial boiling point | not available | |
| Flammability | not available | |
| Lower explosive limit | not available | |
| Upper explosive limit | not available | |
| Flash point | > 60 °C | |
| Auto-ignition temperature | not available | |
| Decomposition temperature | not available | |
| pH | 11 | |
| Kinematic viscosity | not available | |
| Solubility | soluble in water | |
| Partition coefficient: n-octanol/water | not available | |
| Vapour pressure | not available | |
| Density and/or relative density | not available | |
| Relative vapour density | not available | |
| Particle characteristics | not applicable | |

9.2. Other information

9.2.1. Information with regard to physical hazard classes

Information not available

9.2.2. Other safety characteristics

VOC (Directive 2010/75/EU) 4,00 %

VOC (volatile carbon) 2,35 %

SECTION 10. Stability and reactivity**10.1. Reactivity**

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

2-BUTOXYETHANOL

SUPER-CLEAN

May react dangerously with: aluminium,oxidising agents.Forms peroxides with: air.

10.4. Conditions to avoid

None in particular. However the usual precautions used for chemical products should be respected.

2-BUTOXYETHANOL

Avoid exposure to: sources of heat,naked flames.

SODIUM HYDROXIDE

Avoid exposure to: air,moisture,sources of heat.

10.5. Incompatible materials

SODIUM HYDROXIDE

Incompatible with: strong acids,ammonia,zinc,lead,aluminium,water,flammable liquids.

10.6. Hazardous decomposition products

Information not available

SECTION 11. Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Metabolism, toxicokinetics, mechanism of action and other information

Information not available

Information on likely routes of exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

SUPER-CLEAN

ACUTE TOXICITY

| | |
|--|-------------|
| ATE (Inhalation - mists / powders) of the mixture: | > 5 mg/l |
| ATE (Inhalation - vapours) of the mixture: | > 20 mg/l |
| ATE (Inhalation - gas) of the mixture: | 0,0 mg/l |
| ATE (Oral) of the mixture: | >2000 mg/kg |
| ATE (Dermal) of the mixture: | >2000 mg/kg |

TETRASODIUM (1-HYDROXYETHYLENE) BIPHOSPHONATE

| | |
|--------------|-----------------|
| LD50 (Oral): | 990 mg/kg ratto |
|--------------|-----------------|

DIPROPYLENE GLYCOL MONOMETHYL ETHER

| | |
|----------------|-------------------|
| LD50 (Dermal): | 9500 mg/kg rabbit |
| LD50 (Oral): | 5660 mg/kg rat |

2-BUTOXYETHANOL

| | |
|----------------|---|
| LD50 (Dermal): | 405 mg/kg |
| STA (Dermal): | 1100 mg/kg estimate from table 3.1.2 of Annex I of the CLP (figure used for calculation of the acute toxicity estimate of the mixture) |
| LD50 (Oral): | 615 mg/kg Rat |

TETRASODIUM ETHYLENEDIAMINE TETRAACETATE

| | |
|---------------------------------|--|
| STA (Oral): | 500 mg/kg estimate from table 3.1.2 of Annex I of the CLP (figure used for calculation of the acute toxicity estimate of the mixture) |
| STA (Inhalation mists/powders): | 1,5 mg/l estimate from table 3.1.2 of Annex I of the CLP (figure used for calculation of the acute toxicity estimate of the mixture) |
| STA (Inhalation vapours): | 11 mg/l estimate from table 3.1.2 of Annex I of the CLP (figure used for calculation of the acute toxicity estimate of the mixture) |

SODIUM HYDROXIDE

| | |
|----------------|----------------|
| LD50 (Dermal): | 1350 mg/kg rat |
| LD50 (Oral): | 1350 mg/kg rat |

SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

SERIOUS EYE DAMAGE / IRRITATION

Causes serious eye damage

RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class

SUPER-CLEAN

Respiratory sensitization

Information not available

Skin sensitization

Information not available

GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

CARCINOGENICITY

Does not meet the classification criteria for this hazard class

REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

Adverse effects on sexual function and fertility

Information not available

Adverse effects on development of the offspring

Information not available

Effects on or via lactation

Information not available

STOT - SINGLE EXPOSURE

SUPER-CLEAN

Does not meet the classification criteria for this hazard class

Target organs

Information not available

Route of exposure

Information not available

STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

Target organs

Information not available

Route of exposure

Information not available

ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

11.2. Information on other hazards

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with human health effects under evaluation.

SECTION 12. Ecological information

12.1. Toxicity

D-GLUCOPYRANOSE, OLIGOMERIC,
HEPTYL GLYCOSIDE
EC50 - for Crustacea

> 100 mg/l/48h Daphnia magna (OECD 202)

SUPER-CLEAN

EC50 - for Algae / Aquatic Plants > 100 mg/l/72h Pseudokirchneriella subcapitata (OECD 201).

SODIUM HYDROXIDE

LC50 - for Fish 189 mg/l/96h Leuciscus idus

EC50 - for Crustacea 100 mg/l/48h Daphnia

**TETRASODIUM (1-HYDROXYETHYLENE)
BIPHOSPHONATE**

LC50 - for Fish > 368 mg/l/96h Pesce

EC50 - for Crustacea > 527 mg/l/48h Daphnia

EC50 - for Algae / Aquatic Plants > 7,2 mg/l/72h Algae

**DIPROPYLENE GLYCOL MONOMETHYL
ETHER**

LC50 - for Fish > 10000 mg/l/96h Pesce

EC50 - for Crustacea 1919 mg/l/48h Daphnia magna

EC50 - for Algae / Aquatic Plants > 969 mg/l/72h Alga

12.2. Persistence and degradability

D-GLUCOPYRANOSE, OLIGOMERIC,
HEPTYL GLYCOSIDE
Rapidly degradable

2-BUTOXYETHANOL

Rapidly degradable

SODIUM HYDROXIDE

Solubility in water > 10000 mg/l

**DIPROPYLENE GLYCOL MONOMETHYL
ETHER**

Rapidly degradable

12.3. Bioaccumulative potential

D-GLUCOPYRANOSE, OLIGOMERIC,
HEPTYL GLYCOSIDE
Partition coefficient: n-octanol/water

-1,6

2-BUTOXYETHANOL

Partition coefficient: n-octanol/water 0,81 @25 °C, pH=7

BCF 3,16 valore QSAR calcolato (dati del fornitore).

12.4. Mobility in soil

Information not available

12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage \geq than 0,1%.

SUPER-CLEAN

12.6. Endocrine disrupting properties

Based on the available data, the product does not contain substances listed in the main European lists of potential or suspected endocrine disruptors with environmental effects under evaluation.

12.7. Other adverse effects

No other adverse effects are known.

SECTION 13. Disposal considerations

13.1. Waste treatment methods

Reuse, when possible. Product residues should be considered special hazardous waste. The hazard level of waste containing this product should be evaluated according to applicable regulations.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

14.1. UN number or ID number

not applicable

14.2. UN proper shipping name

not applicable

14.3. Transport hazard class(es)

not applicable

14.4. Packing group

not applicable

14.5. Environmental hazards

not applicable

SUPER-CLEAN

14.6. Special precautions for user

not applicable

14.7. Maritime transport in bulk according to IMO instruments

Information not relevant

SECTION 15. Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EU: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006

Product
Point 3

Contained substance
Point 75

Regulation (EU) 2019/1148 - on the marketing and use of explosives precursors

not applicable

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage \geq than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to Regulation (EU) 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

SUPER-CLEAN

Workers exposed to this chemical agent must not undergo health checks, provided that available risk-assessment data prove that the risks related to the workers' health and safety are modest and that the 98/24/EC directive is respected.

Regulation (EC) No. 648/2004

Ingredients according to Regulation (EC) No. 648/2004

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

15.2. Chemical safety assessment

A chemical safety assessment has been performed for the following contained substances

2-BUTOXYETHANOL

TETRASODIUM ETHYLENEDIAMINE TETRAACETATE

SODIUM HYDROXIDE

SECTION 16. Other information

Text of hazard (H) indications mentioned in section 2-3 of the sheet:

| | |
|----------------------|--|
| Met. Corr. 1 | Substance or mixture corrosive to metals, category 1 |
| Acute Tox. 4 | Acute toxicity, category 4 |
| STOT RE 2 | Specific target organ toxicity - repeated exposure, category 2 |
| Skin Corr. 1A | Skin corrosion, category 1A |
| Eye Dam. 1 | Serious eye damage, category 1 |
| H290 | May be corrosive to metals. |
| H302 | Harmful if swallowed. |
| H312 | Harmful in contact with skin. |
| H332 | Harmful if inhaled. |
| H373 | May cause damage to organs through prolonged or repeated exposure. |
| H314 | Causes severe skin burns and eye damage. |
| H318 | Causes serious eye damage. |

Use descriptor system:

PC **35** Washing and cleaning products

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- ATE: Acute Toxicity Estimate
- CAS: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE: Identifier in ESIS (European archive of existing substances)
- CLP: Regulation (EC) 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods

SUPER-CLEAN

- IMO: International Maritime Organization
- INDEX: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: Regulation (EC) 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA: Time-weighted average exposure limit
- TWA STEL: Short-term exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
 2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
 3. Regulation (EU) 2020/878 (II Annex of REACH Regulation)
 4. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
 5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
 6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament
 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
 13. Regulation (EU) 2017/776 (X Atp. CLP)
 14. Regulation (EU) 2018/669 (XI Atp. CLP)
 15. Regulation (EU) 2019/521 (XII Atp. CLP)
 16. Delegated Regulation (UE) 2018/1480 (XIII Atp. CLP)
 17. Regulation (EU) 2019/1148
 18. Delegated Regulation (UE) 2020/217 (XIV Atp. CLP)
 19. Delegated Regulation (UE) 2020/1182 (XV Atp. CLP)
 20. Delegated Regulation (UE) 2021/643 (XVI Atp. CLP)
 21. Delegated Regulation (UE) 2021/849 (XVII Atp. CLP)
- The Merck Index. - 10th Edition
 - Handling Chemical Safety
 - INRS - Fiche Toxicologique (toxicological sheet)
 - Patty - Industrial Hygiene and Toxicology
 - N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
 - IFA GESTIS website
 - ECHA website
 - Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) - Italy

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

CALCULATION METHODS FOR CLASSIFICATION

Chemical and physical hazards: Product classification derives from criteria established by the CLP Regulation, Annex I, Part 2. The data for evaluation of chemical-physical properties are reported in section 9.

Health hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 3, unless determined otherwise in Section 11.

Environmental hazards: Product classification is based on calculation methods as per Annex I of CLP, Part 4, unless determined otherwise in Section 12.

Changes to previous review:

The following sections were modified: 02 / 13 / 14.